Brain Research, 601 (1993) 358–360
Elsevier Science Publishers B.V.

Author Index

Abe, K., see Aoki, M. (601) 185
Achiron, A., see Goldberg-Stern, H. (601) 325
Anandatheerthavarada, H.K., Shankar, S.K., Bhamre, S., Boyd, M.R., Song, B.-J. and Ravindranath, V.
Induction of brain cytochrome P-450IIE1 by chronic ethanol treatment (601) 279
Anwar, M., see Dormer, K.J. (601) 41
Aoki, M., Abe, K., Kawagoe, J.-i., Sato, S., Nakamura, S. and Kogure, K.
Temporal profile of the induction of heat shock protein (HSP) 70 and heat shock cognate protein (HSC) 70 mRNAs after transient ischemia in gerbil brain (601) 185
Ashlock, S.R., see Dormer, K.J. (601) 41
Atlas, D., see Goldberg-Stern, H. (601) 325
Au, C., see Chuah, M.I. (601) 213

Beauvillain, J.C., see Salzet, M. (601) 173
Behari, J., see Kunjilwar, K.K. (601) 321
Bekenstein, J., Rempe, D. and Lothman, E.
Decreased heterosynaptic and homosynaptic paired pulse inhibition in the rat hippocampus as a chronic sequela to limbic status epilepticus (601) 111
Bhamre, S., see Anandatheerthavarada, H.K. (601) 279
Bolton, P.S., see Yates, B.J. (601) 255
Borroni, A.M., see Ferchmin, P.A. (601) 95
Boyd, M.R., see Anandatheerthavarada, H.K. (601) 279
Bray, G.A., see Yoshimatsu, H. (601) 121
Brons, J., see Tong, G. (601) 65
Buée, L., Ding, W., Delacourte, A. and Fillit, H.
Binding of secreted human neuroblastoma proteoglycans to the Alzheimer's amyloid A4 peptide (601) 154
Burcher, E., see Geraghty, D.P. (601) 34

Cabib, S., see Imperato, A. (601) 333
Caldarola-Pastuszka, M., see Uphouse, L. (601) 203
Carlson, M., see Florence, S.L. (601) 343
Chaillan, F.A., see Roman, F.S. (601) 265
Chuah, M.I. and Au, C.
Cultures of ensheathing cells from neonatal rat olfactory bulbs (601) 213
Cohen, S.M., Martin, D., Morrisett, R.A., Wilson, W.A. and Swartzwelder, H.S.
Proconvulsant and anticonvulsant properties of ethanol: studies of electrographic seizures in vitro (601) 80

Dawson-Basoa, M.B. and Gintzler, A.R.
17-β-Estradiol and progesterone modulate an intrinsic opioid analgesic system (601) 241
De Brabander, J.M., Van Eden, C.G., De Bruin, J.P.C. and Feenstra, M.G.P.
Monoamine concentrations in rat prefrontal cortex and other mesolimbocortical structures in response to partial neonatal lesions of the medial prefrontal cortex (601) 20
De Bruin, J.P.C., see De Brabander, J.M. (601) 20
Dekker, A.J. and Thal, L.J.
Nerve growth factor increases cortical choline acetyltransferase-positive fiber staining without affecting cortical cholinergic neurons (601) 329
Delacourte, A., see Buée, L. (601) 154
Demura, H., see Shibasaki, T. (601) 313
Ding, W., see Buée, L. (601) 154
DiScenna, P., see Ferchmin, P.A. (601) 95
Djaldetti, R., see Goldberg-Stern, H. (601) 325
Dormer, K.J., Anwar, M., Ashlock, S.R. and Ruggiero, D.A.
Organization of presumptive catecholamine-synthesizing neurons in the canine medulla oblongata (601) 41
Drescher, D.G., see Pitovski, D.Z. (601) 273
Drescher, M.J., see Pitovski, D.Z. (601) 273

Egawa, M., see Yoshimatsu, H. (601) 121
Emoto, H., Yokoo, H., Yoshida, M. and Tanaka, M.
Corticotropin-releasing factor enhances noradrenaline release in the rat hypothalamus assessed by intracerebral microdialysis (601) 286
Endoh, R., Ogawara, M., Iwatsubo, T., Nakano, I. and Mori, H.
Lack of the carboxyl terminal sequence of tau in ghost tangles of Alzheimer's disease (601) 164
Eyzaguirre, C., see He, S.-F. (601) 353

Feenstra, M.G.P., see De Brabander, J.M. (601) 20
Ferchmin, P.A., DiScenna, P., Borroni, A.M., Velez, M.M., Rivera, E.M. and Teyler, T.J.
α-Difluoromethylornithine decreases inhibitory transmission in hippocampal slices independently of its inhibitory effect on ornithine decarboxylase (601) 95
Fillit, H., see Buée, L. (601) 154
Fleischmann, A. and Urca, G.
Tail-pinch induced analgesia and immobility: altered responses to noxious tail-pinch by prior pinch of the neck (601) 28
Florence, S.L., Garraghty, P.E., Carlson, M. and Kaas, J.H.
Sprouting of peripheral nerve axons in the spinal cord of monkeys (601) 343
Frankfurt, M., Mendelson, S.D., McKittrick, C.R. and McEwen, B.S.
Alterations of serotonin receptor binding in the hypothalamus following acute denervation (601) 349

Garraghty, P.E., see Florence, S.L. (601) 343
Geraghty, D.P. and Burcher, E.
Two classes of binding sites for [^{3}H]substance P in rat cerebral cortex (601) 34
Gintzler, A.R., see Dawson-Basoa, M.B. (601) 241
Goldberg-Stern, H., Atlas, D., Schwartz, L., Achiron, A., Ziv, I., Djaldetti, R., Zoldan, Y. and Melamed, E.
Detection and measurement of an endogenous clonidine-displacing substance (CDS) in human cerebrospinal fluid (CSF) (601) 325
Gonzalez, F., see Guerra-Seijas, M.J. (601) 1
Goto, T., see Yates, B.J. (601) 255
Graf, W., see Meyer, D.L. (601) 308
Guerra-Seijas, M.J., Labandeira Garcia, J.L., Tobio, J. and Gonzalez, F.
Neurons located in the trigeminal sensory complex and the lateral pontine tegmentum project to the oculomotor nucleus in the rabbit (601) 1

Haga, S., Ikeda, K., Sato, M. and Ishii, T.
Synthetic Alzheimer amyloid β/A4 peptides enhance production of complement C3 component by cultured microglial cells (601) 88
He, S.-F., Wei, J.-Y. and Eyzaguirre, C.
Influence of intracellular pH on the membrane potential of cultured carotid body glomus cells (601) 353
Heine, M.F., see Schurr, A. (601) 317
Hoshi, Y., see Okada, F. (601) 337

Ichikawa, R., see Terashima, T. (601) 136
Iida, Y., see Saji, H. (601) 76
Ikeda, K., see Haga, S. (601) 88
Imaki, T., see Shibasaki, T. (601) 313
Imperato, A., Cabib, S. and Puglisi-Allegra, S.
Repeated stressful experiences differently affect the time-dependent responses of the mesolimbic dopamine system to the stressor (601) 333
Inoue, Y., see Terashima, T. (601) 136
Ishii, T., see Haga, S. (601) 88
Iuvone, P.M., see Thomas, K.B. (601) 303
Ivkovic, S., see Ruzdijic, S. (60) 230
Iwatsubo, T., see Endoh, R. (601) 164

Kaas, J.H., see Florence, S.L. (601) 343
Kanazir, S., see Ruzdijic, S. (60) 230
Katada, T., see Terashima, T. (601) 136
Kataoka, K., see Mitani, A. (601) 103
Kawagoe, J.-i., see Aoki, M. (601) 185
Kerr, T.P., see Pitovski, D.Z. (601) 273
Kogure, K., see Aoki, M. (601) 185
Kominami, E., see Taniguchi, K. (601) 143
Koyama, T., see Nakayama, M. (601) 209
Kunjilwar, K.K. and Behari, J.
Effect of amplitude-modulated radio frequency radiation on cholinergic system of developing rats (601) 321

Brain Research, 601 (1993) 358–360
Elsevier Science Publishers B.V.

Author Index

Abe, K., see Aoki, M. (601) 185
Achiron, A., see Goldberg-Stern, H. (601) 325
Anandatheerthavarada, H.K., Shankar, S.K., Bhamre, S., Boyd, M.R., Song, B.-J. and Ravindranath, V.
Induction of brain cytochrome P-450IIE1 by chronic ethanol treatment (601) 279
Anwar, M., see Dormer, K.J. (601) 41
Aoki, M., Abe, K., Kawagoe, J.-i., Sato, S., Nakamura, S. and Kogure, K.
Temporal profile of the induction of heat shock protein (HSP) 70 and heat shock cognate protein (HSC) 70 mRNAs after transient ischemia in gerbil brain (601) 185
Ashlock, S.R., see Dormer, K.J. (601) 41
Atlas, D., see Goldberg-Stern, H. (601) 325
Au, C., see Chuah, M.I. (601) 213

Beauvillain, J.C., see Salzet, M. (601) 173
Behari, J., see Kunjilwar, K.K. (601) 321
Bekenstein, J., Rempe, D. and Lothman, E.
Decreased heterosynaptic and homosynaptic paired pulse inhibition in the rat hippocampus as a chronic sequela to limbic status epilepticus (601) 111
Bhamre, S., see Anandatheerthavarada, H.K. (601) 279
Bolton, P.S., see Yates, B.J. (601) 255
Borroni, A.M., see Ferchmin, P.A. (601) 95
Boyd, M.R., see Anandatheerthavarada, H.K. (601) 279
Bray, G.A., see Yoshimatsu, H. (601) 121
Brons, J., see Tong, G. (601) 65
Buée, L., Ding, W., Delacourte, A. and Fillit, H.
Binding of secreted human neuroblastoma proteoglycans to the Alzheimer's amyloid A4 peptide (601) 154
Burcher, E., see Geraghty, D.P. (601) 34

Cabib, S., see Imperato, A. (601) 333
Caldarola-Pastuszka, M., see Uphouse, L. (601) 203
Carlson, M., see Florence, S.L. (601) 343
Chaillan, F.A., see Roman, F.S. (601) 265
Chuah, M.I. and Au, C.
Cultures of ensheathing cells from neonatal rat olfactory bulbs (601) 213
Cohen, S.M., Martin, D., Morrisett, R.A., Wilson, W.A. and Swartzwelder, H.S.
Proconvulsant and anticonvulsant properties of ethanol: studies of electrographic seizures in vitro (601) 80

Dawson-Basoa, M.B. and Gintzler, A.R.
17-β-Estradiol and progesterone modulate an intrinsic opioid analgesic system (601) 241
De Brabander, J.M., Van Eden, C.G., De Bruin, J.P.C. and Feenstra, M.G.P.
Monoamine concentrations in rat prefrontal cortex and other mesolimbocortical structures in response to partial neonatal lesions of the medial prefrontal cortex (601) 20
De Bruin, J.P.C., see De Brabander, J.M. (601) 20
Dekker, A.J. and Thal, L.J.
Nerve growth factor increases cortical choline acetyltransferase-positive fiber staining without affecting cortical cholinergic neurons (601) 329
Delacourte, A., see Buée, L. (601) 154
Demura, H., see Shibasaki, T. (601) 313
Ding, W., see Buée, L. (601) 154
DiScenna, P., see Ferchmin, P.A. (601) 95
Djaldetti, R., see Goldberg-Stern, H. (601) 325
Dormer, K.J., Anwar, M., Ashlock, S.R. and Ruggiero, D.A.
Organization of presumptive catecholamine-synthesizing neurons in the canine medulla oblongata (601) 41
Drescher, D.G., see Pitovski, D.Z. (601) 273
Drescher, M.J., see Pitovski, D.Z. (601) 273

Egawa, M., see Yoshimatsu, H. (601) 121
Emoto, H., Yokoo, H., Yoshida, M. and Tanaka, M.
Corticotropin-releasing factor enhances noradrenaline release in the rat hypothalamus assessed by intracerebral microdialysis (601) 286
Endoh, R., Ogawara, M., Iwatsubo, T., Nakano, I. and Mori, H.
Lack of the carboxyl terminal sequence of tau in ghost tangles of Alzheimer's disease (601) 164
Eyzaguirre, C., see He, S.-F. (601) 353

Feenstra, M.G.P., see De Brabander, J.M. (601) 20
Ferchmin, P.A., DiScenna, P., Borroni, A.M., Velez, M.M., Rivera, E.M. and Teyler, T.J.
α-Difluoromethylornithine decreases inhibitory transmission in hippocampal slices independently of its inhibitory effect on ornithine decarboxylase (601) 95
Fillit, H., see Buée, L. (601) 154
Fleischmann, A. and Urca, G.
Tail-pinch induced analgesia and immobility: altered responses to noxious tail-pinch by prior pinch of the neck (601) 28
Florence, S.L., Garraghty, P.E., Carlson, M. and Kaas, J.H.
Sprouting of peripheral nerve axons in the spinal cord of monkeys (601) 343
Frankfurt, M., Mendelson, S.D., McKittrick, C.R. and McEwen, B.S.
Alterations of serotonin receptor binding in the hypothalamus following acute denervation (601) 349

Garraghty, P.E., see Florence, S.L. (601) 343
Geraghty, D.P. and Burcher, E.
Two classes of binding sites for [^{3}H]substance P in rat cerebral cortex (601) 34
Gintzler, A.R., see Dawson-Basoa, M.B. (601) 241
Goldberg-Stern, H., Atlas, D., Schwartz, L., Achiron, A., Ziv, I., Djaldetti, R., Zoldan, Y. and Melamed, E.
Detection and measurement of an endogenous clonidine-displacing substance (CDS) in human cerebrospinal fluid (CSF) (601) 325
Gonzalez, F., see Guerra-Seijas, M.J. (601) 1
Goto, T., see Yates, B.J. (601) 255
Graf, W., see Meyer, D.L. (601) 308
Guerra-Seijas, M.J., Labandeira Garcia, J.L., Tobio, J. and Gonzalez, F.
Neurons located in the trigeminal sensory complex and the lateral pontine tegmentum project to the oculomotor nucleus in the rabbit (601) 1

Haga, S., Ikeda, K., Sato, M. and Ishii, T.
Synthetic Alzheimer amyloid β/A4 peptides enhance production of complement C3 component by cultured microglial cells (601) 88
He, S.-F., Wei, J.-Y. and Eyzaguirre, C.
Influence of intracellular pH on the membrane potential of cultured carotid body glomus cells (601) 353
Heine, M.F., see Schurr, A. (601) 317
Hoshi, Y., see Okada, F. (601) 337

Ichikawa, R., see Terashima, T. (601) 136
Iida, Y., see Saji, H. (601) 76
Ikeda, K., see Haga, S. (601) 88
Imaki, T., see Shibasaki, T. (601) 313
Imperato, A., Cabib, S. and Puglisi-Allegra, S.
Repeated stressful experiences differently affect the time-dependent responses of the mesolimbic dopamine system to the stressor (601) 333
Inoue, Y., see Terashima, T. (601) 136
Ishii, T., see Haga, S. (601) 88
Iuvone, P.M., see Thomas, K.B. (601) 303
Ivkovic, S., see Ruzdijic, S. (60) 230
Iwatsubo, T., see Endoh, R. (601) 164

Kaas, J.H., see Florence, S.L. (601) 343
Kanazir, S., see Ruzdijic, S. (60) 230
Katada, T., see Terashima, T. (601) 136
Kataoka, K., see Mitani, A. (601) 103
Kawagoe, J.-i., see Aoki, M. (601) 185
Kerr, T.P., see Pitovski, D.Z. (601) 273
Kogure, K., see Aoki, M. (601) 185
Kominami, E., see Taniguchi, K. (601) 143
Koyama, T., see Nakayama, M. (601) 209
Kunjilwar, K.K. and Behari, J.
Effect of amplitude-modulated radio frequency radiation on cholinergic system of developing rats (601) 321

Labandeira Garcia, J.L., see Guerra-Seijas, M.J. (601) 1
Lanthorn, T.H., see Watson, G.B. (601) 129
Lappi, S.E., see Zahalka, E.A. (601) 221
Lara, J., see Meyer, D.L. (601) 308
Lee, M., Sakatani, K. and Young, W.
A role of $GABA_A$ receptors in hypoxia-induced conduction failure of neonatal rat spinal dorsal column axons (601) 14
Ling, N., see Shibasaki, T. (601) 313
Lothman, E., see Bekenstein, J. (601) 111

Maeda, N., see Suburo, A.M. (601) 193
Malecha, J., see Salzet, M. (601) 173
Malz, C.R., see Meyer, D.L. (601) 308
Marchand, L., see Miceli, D. (601) 289
Martin, D., see Cohen, S.M. (601) 80
Martínez-Murillo, R., see Suburo, A.M. (601) 193
McEwen, B.S., see Frankfurt, M. (601) 349
McEwen, B.S., see Mendelson, S.D. (601) 299
McKittrick, C.R., see Frankfurt, M. (601) 349
McKittrick, C.R., see Mendelson, S.D. (601) 299
Melamed, E., see Goldberg-Stern, H. (601) 325
Mendelson, S.D., McKittrick, C.R. and McEwen, B.S.
Autoradiographic analyses of the effects of estradiol benzoate on [^{3}H]paroxetine binding in the cerebral cortex and dorsal hippocampus of gonadectomized male and female rats (601) 299
Mendelson, S.D., see Frankfurt, M. (601) 349
Meyer, D.L., Lara, J., Malz, C.R. and Graf, W.
(601) 308
Miceli, D., Repérant, J., Marchand, L. and Rio, J.-P.
Retrograde transneuronal transport of the fluorescent dye Rhodamine β-isothiocyanate from the primary and centrifugal visual systems in the pigeon (601) 289
Mikoshiba, K., see Suburo, A.M. (601) 193
Mitani, A., Yanase, H., Sakai, K., Wake, Y. and Kataoka, K.
Origin of intracellular Ca^{2+} elevation induced by in vitro ischemia-like condition in hippocampal slices (601) 103
Mori, H., see Endoh, R. (601) 164
Morrisett, R.A., see Cohen, S.M. (601) 80

Nakamura, S., see Aoki, M. (601) 185
Nakano, I., see Endoh, R. (601) 164
Nakayama, M., Koyama, T. and Yamashita, I.
Long-lasting decrease in dopamine uptake sites following repeated administration of methamphetamine in the rat striatum (601) 209

Oda, T., see Shibasaki, T. (601) 313
Ogawara, M., see Endoh, R. (601) 164
Okada, F., Tokumitsu, Y., Hoshi, Y. and Tamura, M.
Gender- and handedness-related differences of forebrain oxygenation and hemodynamics (601) 337

Pekovic, S., see Ruzdijic, S. (60) 230
Pitovski, D.Z., Drescher, M.J., Kerr, T.P. and Drescher, D.G.
Aldosterone mediates an increase in [^{3}H]ouabain binding at Na^+,K^+-ATPase sites in the mammalian inner ear (601) 273
Polak, J.M., see Suburo, A.M. (601) 193
Puglisi-Allegra, S., see Imperato, A. (601) 333

Rakic, L., see Ruzdijic, S. (60) 230
Ravindranath, V., see Anandatheerthavarada, H.K. (601) 279
Rempe, D., see Bekenstein, J. (601) 111
Repérant, J., see Miceli, D. (601) 289
Rigor, B.M., see Schurr, A. (601) 317
Rio, J.-P., see Miceli, D. (601) 289
Rivera, E.M., see Ferchmin, P.A. (601) 95
Robertson, L.T., see Tong, G. (601) 65
Rodrigo, J., see Suburo, A.M. (601) 193
Roman, F.S., Chaillan, F.A. and Soumireu-Mourat, B.
Long-term potentiation in rat piriform cortex following discrimination learning (601) 265
Rossi, M.L., see Suburo, A.M. (601) 193
Rubin, B.S.
Naloxone stimulates comparable release of luteinizing hormone-releasing hormone from tissue fragments from ovariectomized, estrogen-treated young and middle-aged female rats (601) 246
Ruggiero, D.A., see Dormer, K.J. (601) 41
Ruzdijic, S., Pekovic, S., Kanazir, S., Ivkovic, S., Stojiljkovic, M. and Rakic, L.
Temporal and spatial preferences of c-*fos* mRNA expression in the rat brain following cortical lesion (60) 230

Saji, H., Iida, Y., Takahashi, M., Sasa, M., Serikawa, T., Yamada, J. and Yokoyama, A.
Local cerebral glucose utilization in the interictal state of the spontaneously epileptic rat (SER) (601) 76
Sakai, K., see Mitani, A. (601) 103
Sakatani, K., see Lee, M. (601) 14
Salzet, M., Wattez, C., Verger-Bocquet, M., Beauvillain, J.C. and Malecha, J.
Oxytocin-like peptide: a novel epitope colocalized with the FMRFamide-like peptide in the supernumerary neurons of the sex segmental ganglia of leeches — (Morphological and biochemical characterization; putative anti-diuretic function) (601) 173
Sasa, M., see Saji, H. (601) 76
Sato, M., see Haga, S. (601) 88
Sato, S., see Aoki, M. (601) 185
Schurr, A., West, C.A., Heine, M.F. and Rigor, B.M.
The neurotoxicity of sulfur-containing amino acids in energy-deprived rat hippocampal slices (601) 317
Schwartz, L., see Goldberg-Stern, H. (601) 325
Seidler, F.J., see Zahalka, E.A. (601) 221
Serikawa, T., see Saji, H. (601) 76
Shankar, S.K., see Anandatheerthavarada, H.K. (601) 279
Shibasaki, T., Oda, T., Imaki, T., Ling, N. and Demura, H.
Injection of anti-neuropeptide Y γ-globulin into the hypothalamic paraventricular nucleus decreases food intake in rats (601) 313
Slotkin, T.A., see Zahalka, E.A. (601) 221
Song, B.-J., see Anandatheerthavarada, H.K. (601) 279
Soumireu-Mourat, B., see Roman, F.S. (601) 265
Stojiljkovic, M., see Ruzdijic, S. (60) 230
Suburo, A.M., Rodrigo, J., Rossi, M.L., Martínez-Murillo, R., Terenghi, G., Maeda, N., Mikoshiba, K. and Polak, J.M.
Immunohistochemical localization of the inositol 1,4,5-trisphosphate receptor in the human nervous system (601) 193
Swartzwelder, H.S., see Cohen, S.M. (601) 80

Takahashi, M., see Saji, H. (601) 76
Tamura, M., see Okada, F. (601) 337
Tanaka, M., see Emoto, H. (601) 286
Taniguchi, K., Tomita, M., Kominami, E. and Uchiyama, Y.
Cysteine proteinases in rat dorsal root ganglion and spinal cord, with special reference to the co-localization of these enzymes with calcitonin gene-related peptide (CGRP) in lysosomes (601) 143
Terashima, T., Katada, T., Ichikawa, R., Ui, M. and Inoue, Y.
Distribution of guanine nucleotide-binding protein in the brain of the reeler mutant mouse (601) 136
Terenghi, G., see Suburo, A.M. (601) 193
Teyler, T.J., see Ferchmin, P.A. (601) 95
Thal, L.J., see Dekker, A.J. (601) 329
Thomas, K.B., Tigges, M. and Iuvone, P.M.
Melatonin synthesis and circadian tryptophan hydroxylase activity in chicken retina following destruction of serotonin immunoreactive amacrine and bipolar cells by kainic acid (601) 303
Tigges, M., see Thomas, K.B. (601) 303
Tobio, J., see Guerra-Seijas, M.J. (601) 1
Tokumitsu, Y., see Okada, F. (601) 337
Tomita, M., see Taniguchi, K. (601) 143
Tong, G., Robertson, L.T. and Brons, J.
Climbing fiber representation of the renal afferent nerve in the vermal cortex of the cat cerebellum (601) 65

Uchiyama, Y., see Taniguchi, K. (601) 143
Ui, M., see Terashima, T. (601) 136

Uphouse, L. and Caldarola-Pastuszka, M. Female sexual behavior following intracerebral infusion of the 5-HT_{1A} agonist, 8-OH-DPAT, into the medial preoptic area (601) 203
Urca, G., see Fleischmann, A. (601) 28

Van Eden, C.G., see De Brabander, J.M. (601) 20
Velez, M.M., see Ferchmin, P.A. (601) 95
Verger-Bocquet, M., see Salzet, M. (601) 173

Wake, Y., see Mitani, A. (601) 103
Watson, G.B. and Lanthorn, T.H. Electrophysiological actions of delta opioids in CA1 of the rat hippocampal slice are mediated by one delta receptor subtype (601) 129
Wattez, C., see Salzet, M. (601) 173
Wei, J.-Y., see He, S.-F. (601) 353
West, C.A., see Schurr, A. (601) 317
Wilson, W.A., see Cohen, S.M. (601) 80

Yamada, J., see Saji, H. (601) 76
Yamashita, I., see Nakayama, M. (601) 209
Yanai, J., see Zahalka, E.A. (601) 221
Yanase, H., see Mitani, A. (601) 103
Yates, B.J., Goto, T. and Bolton, P.S. Responses of neurons in the rostral ventrolateral medulla of the cat to natural vestibular stimulation (601) 255
Yokoo, H., see Emoto, H. (601) 286
Yokoyama, A., see Saji, H. (601) 76
Yoshida, M., see Emoto, H. (601) 286
Yoshimatsu, H., Egawa, M. and Bray, G.A. Sympathetic nerve activity after discrete hypothalamic injections of L-glutamate (601) 121
Young, W., see Lee, M. (601) 14

Zahalka, E.A., Seidler, F.J., Lappi, S.E., Yanai, J. and Slotkin, T.A. Differential development of cholinergic nerve terminal markers in rat brain regions: implications for nerve terminal density, impulse activity and specific gene expression (601) 221
Ziv, I., see Goldberg-Stern, H. (601) 325
Zoldan, Y., see Goldberg-Stern, H. (601) 325